



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/725,419	12/03/2003	Satoshi Egawa	117183	8787
25944	7590	04/24/2009	EXAMINER	
OLIFF & BERRIDGE, PLC P.O. BOX 320850 ALEXANDRIA, VA 22320-4850			RILEY, MARCUS T	
			ART UNIT	PAPER NUMBER
			2625	
			MAIL DATE	DELIVERY MODE
			04/24/2009	PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.



**DETAILED ACTION**

**Response to Amendment**

1. This office action is responsive to applicant's remarks received on January 28, 2009. Claims 1-36 remain pending.

**Response to Arguments**

2. Applicant's arguments with respect to claims 1-36 filed on January 28, 2009 have been fully considered but they are not persuasive.

**A: Applicant's Remarks**

For Applicant's Remarks, see "*Applicant Arguments/Remarks Made in an Amendment*" Filed January 28, 2009.

**A: Examiner's Response**

3. In response to applicant's argument that there is no suggestion to combine the references, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992).

Art Unit: 2625

In this case, Applicant argues that it would not have been obvious to modify Bruce by Nakatani because the references taken as a whole do not provide any reason to make the proposed combination. Applicant reasons are that Bruce does not disclose that printing device 130 allows editing of data on printing device 130, and the problem addressed by Nakatani does not exist in Bruce and the proposed combination is not supported by the references taken as a whole. Applicant also argues that the Examiners reason for making the proposed combination is not correct. Moreover, Applicant argues that Yellepeddy fails to cure the deficiencies of Bruce because Yellepeddy does not disclose that the editing can occur only when an information processor which has transmitted the printing data is identical to an information processor which requests the editing of the printing data or that the editing can occur only when user information added to the printing data is identical to user information input by a user who requests editing.

Examiner understands Applicant's arguments but respectfully disagree. Bruce '064, Nakatani '978 and Yellepeddy '790 either alone or in combination teach, disclose or suggest the applicant's claimed invention and it would have been obvious to modify Bruce by Nakatani because the references taken as a whole does provide reason to make the proposed combination.

Bruce '064 and Nakatani '978 are combinable because they are from same field of endeavor of image forming systems such as a printer. Bruce '064 at column 1, lines 7-9 discloses a printer system (*"The present invention relates generally to printing methods and systems and, more particularly, to printing services in a communications network."*). Furthermore, Figure 2A #202 of Bruce '064 discloses a memory.

Moreover, Nakatani '978 at column 4, lines 29-34 discloses a printer system (*"Furthermore, input unit 901 has provided therein in a internal area a small printer 952. The **small printer 952** prints the information displayed in display section 913 on recording paper 916."*). In addition, Nakatani '978 discloses a memory card at

Art Unit: 2625

Figure 4 #903. Therefore, one of ordinary skill would have regarded Nakatani as being a reason to make the proposed combination.

Furthermore, Nakatani '978 discloses where the print request not being edited by the editing of the printing data (*"The aforesaid copy machine assigns copy operating conditions and operation modes by means of the operation of the various keys of the operation panel, and also provides an edit-image copy mode in accordance with data stored in memory card 903."* column 3, lines 60-64). See also (*"FIG. 7 shows input unit 901 for entering editing data to memory card 903... Furthermore, input unit 901 has provided therein in a internal area a small printer 952. The small printer 952 prints the information displayed in display section 913 on recording paper 916."* column 4, lines 13-24); editing of the printing data not including editing of a printing sequence of print requests received by the image forming device (*"Memory card 903, having the editing data entered therein, is extracted from the insert section 915 of the input unit 901, said card being subsequently inserted into opening 50 of the copy machine. Thereupon, the copy machine performs the edited-image copying process in accordance with the editing data stored in memory card 903."* column 5, lines 31-37).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the printer system as taught by Bruce '064 by adding wherein the editing of the printing data does not including editing of a printing sequence of print requests received by the image forming device as taught by Nakatani '978. The motivation for doing so would have been because it is advantageous to provide an image editing system capable of highly efficient edited-image copying (*"An object of the present invention is to provide an image editing system capable of highly efficient edited-image copying."* Nakatani '978 at column 1, lines 1-2). Therefore, it would have been obvious to combine Bruce '064 with Nakatani '978 to obtain the invention as specified in claim 1.

Additionally, Bruce '064 at column 9, lines 25-28 discloses that printing device 130 allows editing of data on printing device 130 (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the*

Art Unit: 2625

*memory queue, at step 415.*" ). Fig. 3 shows where a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130. Fig. 4 at step 420, a user has the option of viewing the content of the print queue by touching GUI button 346 for example. Print management software 131 of Fig. 1 is implemented to cause an interactive menu wherein a user may manipulate or edit the content of the print request. While Bruce '064 discloses that a user can manipulate print requests, Examiner interprets manipulate to mean edit. Applicant argued that the term "manipulate" does not coincide with the word "*edit*". The Encarta Dictionary, North American English Version, defines in one form that "*manipulate*" means to change. A synonym for the word "*edit*" is "*change*". Therefore, one of ordinary skill would have understood Bruce's use of the term "*manipulate*" to mean editing. Thus, Bruce '064 discloses that printing device 130 allows editing of data on printing device 130.

Yellepeddy '790 does not fail to cure the deficiencies of Bruce because Yellepeddy '790 at column 7, lines 5-13 discloses that the editing can occur only when an information processor which has transmitted the printing data is identical to an information processor which requests the editing of the printing data or that the editing can occur only when user information added to the printing data is identical to user information input by a user who requests editing ("*The user may also change the state of a print job within the transient printer queue to the held state to suspend or bypass replay for that print job, or may release a held print job to place it in the waiting state. The user may additionally edit the contents of a print job while it is in the transient printer queue (ASCII files only), copy a print job within the transient printer queue to make a duplicate job, or invoke a settings notebook for a selected print job, allowing the user to modify its characteristics.*" Yellepeddy '790 at column 7, lines 5-13).

Art Unit: 2625

For the foregoing reasons, the rejections of independent claims 1, 15, 29 and 36, and their dependent claims, are not patentable over the applied references. Furthermore, the applied references, does not fail to disclose the features of dependent claims 11-14, 25-28 & 35. Accordingly, it is respectfully submitted that this application is not in condition for allowance.

**Claim Rejections - 35 USC § 103**

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. **Claims 1-10, 15-24, 29-34 & 36** rejected under 35 U.S.C. 103(a) as being unpatentable over Bruce (US 6,678,064 hereinafter, Bruce'064) in combination with Nakatina et al. (US 4,806,978 hereinafter, Nakatina '978).

**Regarding claim 1;** Bruce '064 discloses an image forming device comprising ("*The present invention relates generally to **printing methods and systems and, more particularly, to printing services in a communications network.***" column 1, lines 7-10):

discloses a receiving unit that receives printing data to be printed in accordance with a print request ("*Printing device 130 queues the submitted print requests in memory, processes data associated with the requests, and prints out the data in certain order.*" column 4, lines 34-36); See also ("*...printing device 130 includes a processor and memory means to directly receive, store, and process print requests as transmitted by client computer 120; while in the latter scenario, server computer 140 performs the initial tasks of receiving, storing, and processing print requests, and then forwards data in printable format to printing device 130 for printing.*" column 4, lines 59-65);

Art Unit: 2625

a memory that stores the printing data (*"The print queue is a logical storage area associated with space allocated in memory for storing print information."* column 5, lines 6-8).

a controller that: enables editing of the printing data previously stored in the memory of the image forming device (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415."* column 9, lines 25-28);

and performs data processing for providing image data from the printing data stored in the memory (*"Printing device 130 queues the submitted print requests in memory, processes data associated with the requests, and prints out the data in certain order."* column 4, lines 34-36);

and a printing mechanism that provides printed output of the image data output by the controller (*"For example, in one embodiment, the scroll bar 328 is provided to allow a user to scroll through one or more sections of the file associated with the print request. At step 470, the user may interact with menu bar 322 or other interactive features displayed on touch screen 320, for example, GUI buttons 340 and 348 to print one or more pages of the selected print request as displayed on display area 324. User interaction with control buttons 330 or GUI buttons provided on touch screen 320 may allow a user to control the operation of printing device 130 in other manners"* column 10, lines 4-13).

Bruce '064 does not expressly disclose where the print request not being edited by the editing of the printing data; editing of the printing data not including editing of a printing sequence of print requests received by the image forming device.

Nakatina '978 discloses the print request not being edited by the editing of the printing data (*"The aforesaid copy machine assigns copy operating conditions and operation modes by means of the operation of the various keys of the operation panel, and also provides an edit-image copy mode in accordance with data stored in memory card 903."* column 3, lines 60-64). See also (*"FIG. 7 shows input unit 901 for entering editing data to memory card 903... Furthermore, input unit 901 has provided therein in a internal area a small printer 952. The small printer 952 prints the information displayed in display section 913 on recording paper 916."* column 4, lines 13-24);



Art Unit: 2625

editing of the printing data not including editing of a printing sequence of print requests received by the image forming device (*"Memory card 903, having the editing data entered therein, is extracted from the insert section 915 of the input unit 901, said card being subsequently inserted into opening 50 of the copy machine. Thereupon, the copy machine performs the edited-image copying process in accordance with the editing data stored in memory card 903."* column 5, lines 31-37).

Bruce '064 and Nakatina '978 are combinable because they are from same field of endeavor of image forming systems (*"FIG. 1 shows the construction of a copy machine having editing functions. This copy machine comprises copy paper storage sections 42 and 43 and an intermediate tray unit A in a lower level, an image forming section having"* Nakatina '978 at column 2, lines 15-16).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the printer system as taught by Bruce '064 by adding wherein the print request not being edited by the editing of the printing data; editing of the printing data not including editing of a printing sequence of print requests received by the image forming device as taught by Nakatina '978. The motivation for doing so would have been because it is advantageous to provide an image editing system capable of highly efficient edited-image copying (*"An object of the present invention is to provide an image editing system capable of highly efficient edited-image copying."* Nakatina '978 at column 5, lines 1-2). Therefore, it would have been obvious to combine Bruce '064 with Nakatina '978 to obtain the invention as specified in claim 1.

**Regarding claim 2;** Bruce '064 discloses wherein the controller starts the data processing of the printing data after an editing-allowable state of the printing data has been completed (*"In one embodiment, a printing system for processing one or more print requests includes: a print queue for storing data associated with one or more print requests, a display screen for displaying the content of the print queue; control interface for controlling the processing order of print requests in the queue; and executable code stored in a memory, wherein execution of the code by a processor causes the processor to process the print requests stored in the queue in response to user interaction with the control interface."* column 2, lines 13-22). See also (*"Referring to FIG. 3, printing device 130 includes a*

Art Unit: 2625

*display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130.*" column 9, lines 25-33).

**Regarding claim 3;** Bruce '064 discloses wherein the controller starts processing of subsequent printing data when the printing data next in order is in the editing-allowable state (*"In one embodiment, a printing system for processing one or more print requests includes: a print queue for storing data associated with one or more print requests, a display screen for displaying the content of the print queue; control interface for controlling the processing order of print requests in the queue; and executable code stored in a memory, wherein execution of the code by a processor causes the processor to process the print requests stored in the queue in response to user interaction with the control interface."* column 2, lines 13-22). See also (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130."* column 9, lines 25-33).

**Regarding claim 4;** Bruce '064 discloses wherein the processing of the printing data in the editing-allowable state is started when the editing of the printing data is completed and the processing of the subsequent printing data is completed (*"In one embodiment, a printing system for processing one or more print requests includes: a print queue for storing data associated with one or more print requests, a display screen for displaying the content of the print queue; control interface for controlling the processing order of print requests in the queue; and executable code stored in a memory, wherein execution of the code by a processor causes the processor to process the print requests stored in the queue in response to user interaction with the control interface."* column 2, lines 13-22). See also (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen*

Art Unit: 2625

320 to view **and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130.**" column 9, lines 25-33).

**Regarding claim 5;** Bruce '064 discloses wherein the printing data is stored in the memory after the printed output is provided (*"However, if server computer 140 is not included in the system to handle the task of processing the submitted print requests, then print requests will be processed by print manager software 131. The processed requests are stored in a memory queue, at step 410, in the order received. The memory queue can be a logical data structure allocated in any type of data storage medium and may be included in printing device 130, server computer 140, or any other device directly or indirectly attached to network 110 or printing device 130."* column 9, lines 15-24).

**Regarding claim 6;** Bruce '064 discloses wherein the controller also transmits the printing data stored in the memory to the information processor (*"Printing device 130 can be any kind of printer and may include an adapter card for connecting to a communication network in addition to hardware and software necessary for servicing print requests. Alternatively, printing device 130 may serve as a stand alone printer connected to a print server such as server computer 140. In the former scenario, printing device 130 includes a processor and memory means to directly receive, store, and process print requests as transmitted by client computer 120; while in the latter scenario, server computer 140 performs the initial tasks of receiving, storing, and processing print requests, and then forwards data in printable format to printing device 130 for printing."* column 4, lines 54-65).

**Regarding claim 7;** Bruce '064 discloses wherein the controller starts the data processing after the printing data is entirely received by the image forming device (*"Printing device 130 can be any kind of printer and may include an adapter card for connecting to a communication network in addition to hardware and software necessary for servicing print requests. Alternatively, printing device 130 may serve as a stand alone printer connected to a print server such as server computer 140. In the former scenario, printing device 130 includes a processor and memory means to directly receive, store, and process print requests as transmitted by client computer 120; while in the latter scenario, server computer 140 performs the initial tasks of receiving, storing, and processing print requests, and then forwards data in printable format to printing device 130 for printing."* column 4, lines 54-65).

**Regarding claim 8;** Bruce '064 discloses wherein the controller starts the data processing after the printing data is entirely received by the image forming device (*"Printing device 130 can be any kind of printer and may include an adapter card for connecting to a communication network in addition to hardware and software necessary for servicing print requests. Alternatively, printing device 130 may serve as a stand alone printer connected to a print server such as server computer 140. In the former scenario, printing device 130 includes a processor and memory means to directly receive, store, and process print requests as transmitted by client computer 120; while in the latter scenario, server computer 140 performs the initial tasks of receiving, storing, and processing print requests, and then forwards data in printable format to printing device 130 for printing."* column 4, lines 54-65).

**Regarding claim 9;** Bruce '064 discloses wherein the controller enables editing of the printing data if the printing data satisfies a predetermined condition (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130."* column 9, lines 25-33). It is understood that a predetermined condition is more than one print job. Thus, the *"printing order"* is *"manipulated"* accordingly.

**Regarding claim 10;** Bruce '064 discloses wherein the controller enables editing of the printing data if the printing data satisfies a predetermined condition (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130."* column 9, lines 25-

Art Unit: 2625

33). It is understood that a “*predetermined condition*” is more than one print job. Thus, the “*printing order*” is “*manipulated*” accordingly.

**Regarding claim 15;** Bruce ‘064 discloses an image forming device comprising: a storage means for storing printing data to be printed in accordance with a print request (“*Printing device 130 queues the submitted print requests in memory, processes data associated with the requests, and prints out the data in certain order.*” column 4, lines 34-36); See also (“*The print queue is a logical storage area associated with space allocated in memory for storing print information.*” column 5, lines 6-8). Furthermore see (“*...printing device 130 includes a processor and memory means to directly receive, store, and process print requests as transmitted by client computer 120; while in the latter scenario, server computer 140 performs the initial tasks of receiving, storing, and processing print requests, and then forwards data in printable format to printing device 130 for printing.*” column 4, lines 59-65);

editing means for enabling editing of the printing data previously stored in the storage means of the image forming device (“*Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415.*” column 9, lines 25-28);

data processing means for performing data processing to provide image data from the printing data stored in the storage means (“*Printing device 130 queues the submitted print requests in memory, processes data associated with the requests, and prints out the data in certain order.*” column 4, lines 34-36);

and printing means for providing printed output of the image data output by the data processing means (“*For example, in one embodiment, the scroll bar 328 is provided to allow a user to scroll through one or more sections of the file associated with the print request. At step 470, the user may interact with menu bar 322 or other interactive features displayed on touch screen 320, for example, GUI buttons 340 and 348 to print one or more pages of the selected print request as displayed on display area 324. User interaction with control buttons 330 or GUI buttons provided on touch screen 320 may allow a user to control the operation of printing device 130 in other manners*” column 10, lines 4-13).

Art Unit: 2625

Bruce '064 does not expressly disclose the print request not being edited by the editing of the printing data; the editing of the printing data not including editing of a printing sequence of print requests received by the image forming device.

Nakatina '978 discloses the print request not being edited by the editing of the printing data (*"The aforesaid copy machine assigns copy operating conditions and operation modes by means of the operation of the various keys of the operation panel, and also provides an edit-image copy mode in accordance with data stored in memory card 903."* column 3, lines 60-64). See also (*"FIG. 7 shows input unit 901 for entering editing data to memory card 903... Furthermore, input unit 901 has provided therein in a internal area a small printer 952. The small printer 952 prints the information displayed in display section 913 on recording paper 916."* column 4, lines 13-24);

the editing of the printing data not including editing of a printing sequence of print requests received by the image forming device (*"Memory card 903, having the editing data entered therein, is extracted from the insert section 915 of the input unit 901, said card being subsequently inserted into opening 50 of the copy machine. Thereupon, the copy machine performs the edited-image copying process in accordance with the editing data stored in memory card 903."* column 5, lines 31-37).

Bruce '064 and Nakatina '978 are combinable because they are from same field of endeavor of image forming systems (*"FIG. 1 shows the construction of a copy machine having editing functions. This copy machine comprises copy paper storage sections 42 and 43 and an intermediate tray unit A in a lower level, an image forming section having"* Nakatina '978 at column 2, lines 15-16).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the printer system as taught by Bruce '064 by adding the print request not being edited by the editing of the printing data; the editing of the printing data not including editing of a printing sequence of print requests received by the image forming device as taught by Nakatina '978. The motivation for doing so would have been because it is advantageous to provide an image editing system capable of highly efficient edited-image copying (*"An object of the present*

Art Unit: 2625

*invention is to provide an image editing system capable of highly efficient edited-image copying.*" Nakatina '978 at column 5, lines 1-2). Therefore, it would have been obvious to combine Bruce '064 with Nakatina '978 to obtain the invention as specified in claim 15.

**Regarding claim 16;** Bruce '064 discloses wherein the data processing means starts the data processing of the printing data after an editing-allowable state of the printing data has been completed (*"In one embodiment, a printing system for processing one or more print requests includes: a print queue for storing data associated with one or more print requests, a display screen for displaying the content of the print queue; control interface for controlling the processing order of print requests in the queue; and executable code stored in a memory, wherein execution of the code by a processor causes the processor to process the print requests stored in the queue in response to user interaction with the control interface."* column 2, lines 13-22). See also (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130."* column 9, lines 25-33).

**Regarding claim 17;** Bruce '064 discloses wherein the data processing means starts processing of subsequent printing data when the printing data next in order is in the editing-allowable state (*"In one embodiment, a printing system for processing one or more print requests includes: a print queue for storing data associated with one or more print requests, a display screen for displaying the content of the print queue; control interface for controlling the processing order of print requests in the queue; and executable code stored in a memory, wherein execution of the code by a processor causes the processor to process the print requests stored in the queue in response to user interaction with the control interface."* column 2, lines 13-22). See also (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330*

Art Unit: 2625

*or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130.*" column 9, lines 25-33).

**Regarding claim 18;** Bruce '064 discloses wherein the processing of the printing data in the editing-allowable state is started when the editing of the printing data is completed and the processing of the subsequent printing data is completed (*"In one embodiment, a printing system for processing one or more print requests includes: a print queue for storing data associated with one or more print requests, a display screen for displaying the content of the print queue; control interface for controlling the processing order of print requests in the queue; and executable code stored in a memory, wherein execution of the code by a processor causes the processor to process the print requests stored in the queue in response to user interaction with the control interface."* column 2, lines 13-22). See also (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130."* column 9, lines 25-33).

**Regarding claim 19;** Bruce '064 discloses wherein the printing data is stored in the storage means after the printed output is provided (*"However, if server computer 140 is not included in the system to handle the task of processing the submitted print requests, then print requests will be processed by print manager software 131. The processed requests are stored in a memory queue, at step 410, in the order received. The memory queue can be a logical data structure allocated in any type of data storage medium and may be included in printing device 130, server computer 140, or any other device directly or indirectly attached to network 110 or printing device 130."* column 9, lines 15-24).

**Regarding claim 20;** Bruce '064 discloses an image forming device comprising transmission means for transmitting the printing data stored in the storage means to the



Art Unit: 2625

information processor (*“Printing device 130 can be any kind of printer and may include an adapter card for connecting to a communication network in addition to hardware and software necessary for servicing print requests. Alternatively, printing device 130 may serve as a stand alone printer connected to a print server such as server computer 140. In the former scenario, printing device 130 includes a processor and memory means to directly receive, store, and process print requests as transmitted by client computer 120; while in the latter scenario, server computer 140 performs the initial tasks of receiving, storing, and processing print requests, and then forwards data in printable format to printing device 130 for printing.”* column 4, lines 54-65).

**Regarding claim 21;** Bruce ‘064 discloses wherein the data processing means starts the data processing after the printing data is entirely received by the image forming device (*“Printing device 130 can be any kind of printer and may include an adapter card for connecting to a communication network in addition to hardware and software necessary for servicing print requests. Alternatively, printing device 130 may serve as a stand alone printer connected to a print server such as server computer 140. In the former scenario, printing device 130 includes a processor and memory means to directly receive, store, and process print requests as transmitted by client computer 120; while in the latter scenario, server computer 140 performs the initial tasks of receiving, storing, and processing print requests, and then forwards data in printable format to printing device 130 for printing.”* column 4, lines 54-65).

**Regarding claim 22;** Bruce ‘064 discloses wherein the data processing means starts the data processing after the printing data is entirely received by the image forming device (*“Printing device 130 can be any kind of printer and may include an adapter card for connecting to a communication network in addition to hardware and software necessary for servicing print requests. Alternatively, printing device 130 may serve as a stand alone printer connected to a print server such as server computer 140. In the former scenario, printing device 130 includes a processor and memory means to directly receive, store, and process print requests as transmitted by client computer 120; while in the latter scenario, server computer 140 performs the initial tasks of receiving, storing, and processing print requests, and then forwards data in printable format to printing device 130 for printing.”* column 4, lines 54-65).

**Regarding claim 23;** Bruce ‘064 discloses wherein the editing means enables editing of the printing data if the printing data satisfies a predetermined condition (*“Referring to FIG. 3, printing*

Art Unit: 2625

*device 130 includes a display with a touch screen 320 for providing a user with an interactive **menu to view, control, and manipulate print requests stored in the memory queue**, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and **control the printing order of the documents associated with the print requests queued in the memory queue of printer 130.**"* column 9, lines 25-33). It is understood that a predetermined condition is more than one print job. Thus, the "printing order" is "manipulated" accordingly.

**Regarding claim 24;** Bruce '064 discloses wherein the editing means enables editing of the printing data if the printing data satisfies a predetermined condition (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive **menu to view, control, and manipulate print requests stored in the memory queue**, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and **control the printing order of the documents associated with the print requests queued in the memory queue of printer 130.**"* column 9, lines 25-33). It is understood that a predetermined condition is more than one print job. Thus, the "printing order" is "manipulated" accordingly.

**Regarding claim 29;** Bruce '064 discloses An image forming method comprising the steps of: storing, in an image forming device, printing data to be printed in accordance with a print request transmitted from an information processor (*"**Printing device 130 queues the submitted print requests in memory, processes data associated with the requests, and prints out the data in certain order.**"* column 4, lines 34-36); See also (*"**The print queue is a logical storage area associated with space allocated in memory for storing print information.**"* column 5, lines 6-8). Furthermore see (*"...**printing device 130 includes a processor and memory means to directly receive, store, and process print requests as transmitted by client computer 120; while in the latter scenario, server computer 140 performs the initial tasks of receiving, storing, and processing print requests, and then forwards data in printable format to printing device 130 for printing.**"* column 4, lines 59-65);

Art Unit: 2625

allowing editing of the printing data previously stored in the image forming device (*"In one embodiment, a printing system for processing one or more print requests includes: a print queue for storing data associated with one or more print requests, a display screen for displaying the content of the print queue; control interface for controlling the processing order of print requests in the queue; and executable code stored in a memory, wherein execution of the code by a processor causes the processor to process the print requests stored in the queue in response to user interaction with the control interface."* column 2, lines 13-22). See also (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130."* column 9, lines 25-33).

and providing printed output of the edited printing data by the image forming device after the editing is completed (*"For example, in one embodiment, the scroll bar 328 is provided to allow a user to scroll through one or more sections of the file associated with the print request. At step 470, the user may interact with menu bar 322 or other interactive features displayed on touch screen 320, for example, GUI buttons 340 and 348 to print one or more pages of the selected print request as displayed on display area 324. User interaction with control buttons 330 or GUI buttons provided on touch screen 320 may allow a user to control the operation of printing device 130 in other manners"* column 10, lines 4-13).

Bruce '064 does not expressly disclose print request not being edited by the editing of the printing data the editing of the printing data not including editing of a printing sequence of print requests received by the image forming device.

Nakatina '978 discloses the print request not being edited by the editing of the printing data (*"The aforesaid copy machine assigns copy operating conditions and operation modes by means of the operation of the various keys of the operation panel, and also provides an edit-image copy mode in accordance with data stored in memory card 903."* column 3, lines 60-64). See also (*"FIG. 7 shows input unit 901 for entering editing data to memory card 903... Furthermore, input unit 901 has provided therein in a internal area a small printer 952. The small printer 952 prints the information displayed in display section 913 on recording paper 916."* column 4, lines 13-24);

Art Unit: 2625

the editing of the printing data not including editing of a printing sequence of print requests received by the image forming device (*"Memory card 903, having the editing data entered therein, is extracted from the insert section 915 of the input unit 901, said card being subsequently inserted into opening 50 of the copy machine. Thereupon, the copy machine performs the edited-image copying process in accordance with the editing data stored in memory card 903."* column 5, lines 31-37).

Bruce '064 and Nakatina '978 are combinable because they are from same field of endeavor of image forming systems (*"FIG. 1 shows the construction of a copy machine having editing functions. This copy machine comprises copy paper storage sections 42 and 43 and an intermediate tray unit A in a lower level, an image forming section having"* Nakatina '978 at column 2, lines 15-16).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the printer system as taught by Bruce '064 by adding print request not being edited by the editing of the printing data the editing of the printing data not including editing of a printing sequence of print requests received by the image forming device as taught by Nakatina '978. The motivation for doing so would have been because it is advantageous to provide an image editing system capable of highly efficient edited-image copying (*"An object of the present invention is to provide an image editing system capable of highly efficient edited-image copying."* Nakatina '978 at column 5, lines 1-2). Therefore, it would have been obvious to combine Bruce '064 with Nakatina '978 to obtain the invention as specified in claim 29.

**Regarding claim 30;** Bruce '064 discloses wherein subsequent printing data is output as the printed output when the editing of the printing data next in order is not completed (*"In one embodiment, a printing system for processing one or more print requests includes: a print queue for storing data associated with one or more print requests, a display screen for displaying the content of the print queue; control interface for controlling the processing order of print requests in the queue; and executable code stored in a memory, wherein execution of the code by a processor causes the processor to process the print requests stored in the queue in response to user interaction with the control*

Art Unit: 2625

*interface.*” column 2, lines 13-22). See also (“Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a **user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130.**” column 9, lines 25-33).

**Regarding claim 31;** Bruce ‘064 discloses wherein the printing data whose editing has been completed is output as the printed output when processing of the subsequent printing data is completed (“*In one embodiment, a printing system for processing one or more print requests includes: a print queue for storing data associated with one or more print requests, a display screen for displaying the content of the print queue; control interface for controlling the processing order of print requests in the queue; and executable code stored in a memory, wherein execution of the code by a processor causes the processor to process the print requests stored in the queue in response to user interaction with the control interface.*” column 2, lines 13-22). See also (“Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a **user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130.**” column 9, lines 25-33).

**Regarding claim 32;** Bruce ‘064 discloses wherein the printing data is stored in the image forming device after the printing data is output as the printed output (“*However, if server computer 140 is not included in the system to handle the task of processing the submitted print requests, then print requests will be processed by print manager software 131. The processed requests are stored in a memory queue, at step 410, in the order received. The memory queue can be a logical data structure allocated in any type of data storage medium and may be included in printing device 130, server computer 140, or any other device directly or indirectly attached to network 110 or printing device 130.*” column 9, lines 15-24).

Art Unit: 2625

**Regarding claim 33;** Bruce '064 discloses wherein the stored printing data is transmitted to the information processor (*"Printing device 130 can be any kind of printer and may include an adapter card for connecting to a communication network in addition to hardware and software necessary for servicing **print requests**. Alternatively, **printing device 130** may serve as a stand alone printer connected to a print server such as server computer 140. In the former scenario, **printing device 130** includes a processor and memory means to directly receive, store, and process **print requests as transmitted by client computer 120**; while in the latter scenario, server computer 140 performs the initial tasks of receiving, storing, and processing **print requests**, and then forwards data in printable format to printing device 130 for printing."* column 4, lines 54-65).

**Regarding claim 34;** Bruce '064 discloses wherein the editing of the printing data is allowed when the printing data satisfies a predetermined condition (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive **menu to view, control, and manipulate print requests stored in the memory queue**, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and **control the printing order of the documents associated with the print requests queued in the memory queue of printer 130**."* column 9, lines 25-33). It is understood that a predetermined condition is more than one print job. Thus, the *"printing order"* is *"manipulated"* accordingly.

**Regarding claim 36;** Bruce '064 discloses a printing device comprising: a receiving part that receives printing data from a host device, to be printed in accordance with a print request (*"However, if server computer 140 is not included in the system to handle the task of processing the submitted print requests, then print requests will be processed by print manager software 131. **The processed requests are stored in a memory queue, at step 410, in the order received. The memory queue can be a logical data structure allocated in any type of data storage medium and may be included in printing device 130, server computer 140, or any other device directly or indirectly attached to network 110 or printing device 130.**"* column 9, lines 15-24). See also (*"The **print queue is a logical storage area** associated with space allocated in **memory for storing print information.**"* column 5, lines 6-8). Furthermore see (*"...printing device*

Art Unit: 2625

*130 includes a processor and memory means to directly receive, store, and process print requests as transmitted by client computer 120; while in the latter scenario, server computer 140 performs the initial tasks of receiving, storing, and **processing print requests, and then forwards data in printable format to printing device 130 for printing.***” column 4, lines 59-65);

a memory that stores the printing data received by the receiving part (“*However, if server computer 140 is not included in the system to handle the task of processing the submitted print requests, then print requests will be processed by print manager software 131. **The processed requests are stored in a memory queue, at step 410, in the order received. The memory queue can be a logical data structure allocated in any type of data storage medium and may be included in printing device 130, server computer 140, or any other device directly or indirectly attached to network 110 or printing device 130.***” column 9, lines 15-24).

a printing controller that controls the printing data stored in the memory so as to print the printing data according to a predetermined sequence (“*Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive **menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130.***” column 9, lines 25-33): {It is understood that a predetermined condition is more than one print job. Thus, the “*printing order*” is “*manipulated*” accordingly};

and an editing part that sets the printing data stored in the memory to an editing-allowable state according to a request from the host device (“*In one embodiment, a printing system for processing one or more print requests includes: a print queue for storing data associated with one or more print requests, a display screen for displaying the content of the print queue; control interface for controlling the processing order of print requests in the queue; **and executable code stored in a memory, wherein execution of the code by a processor causes the processor to process the print requests stored in the queue in response to user interaction with the control interface.***” column 2, lines 13-22). See also (“*Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive **menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features***”

Art Unit: 2625

*displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130.*" column 9, lines 25-33).

wherein the printing controller temporarily stops processing of the printing data depending on an editing request for the printing data from the host device (*"In one embodiment, a printing system for processing one or more print requests includes: a print queue for storing data associated with one or more print requests, a display screen for displaying the content of the print queue; control interface for controlling the processing order of print requests in the queue; and executable code stored in a memory, wherein execution of the code by a processor causes the processor to process the print requests stored in the queue in response to user interaction with the control interface."* column 2, lines 13-22). See also (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130."* column 9, lines 25-33). {Note: It is well known in the art that if a user manipulates the touch screen of a printing device, it temporarily stops the processing of the printing data};

cancels the temporary stop condition if the editing is completed when a printing order for the printing data arrives so as to perform the printing processing of the printing data after the editing of the printing data (*"In one embodiment, a printing system for processing one or more print requests includes: a print queue for storing data associated with one or more print requests, a display screen for displaying the content of the print queue; control interface for controlling the processing order of print requests in the queue; and executable code stored in a memory, wherein execution of the code by a processor causes the processor to process the print requests stored in the queue in response to user interaction with the control interface."* column 2, lines 13-22). See also (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the*



Art Unit: 2625

*printing order of the documents associated with the print requests queued in the memory queue of printer 130.*" column 9, lines 25-33);

and cancels the temporary stop condition at a predetermined timing after the end of the editing if the editing is not completed when the printing order of the printing data arrives so as to perform the printing processing of the printing data after the editing of the printing data (*"In one embodiment, a printing system for processing one or more print requests includes: a print queue for storing data associated with one or more print requests, a display screen for displaying the content of the print queue; control interface for controlling the processing order of print requests in the queue; and executable code stored in a memory, wherein execution of the code by a processor causes the processor to process the print requests stored in the queue in response to user interaction with the control interface."* column 2, lines 13-22). See also (*"Referring to FIG. 3, printing device 130 includes a display with a touch screen 320 for providing a user with an interactive menu to view, control, and manipulate print requests stored in the memory queue, at step 415. As shown in FIG. 3, a user may interact with printing device 130's control buttons 330 or menu bar 322 or other interactive features displayed on touch screen 320 to view and control the printing order of the documents associated with the print requests queued in the memory queue of printer 130."* column 9, lines 25-33). It is understood that a predetermined condition is more than one print job. Thus, the "printing order" is "manipulated" accordingly.

Bruce '064 does not expressly disclose the print request not being edited by the editing of the printing data; the editing of the printing data not including editing of a printing sequence of print requests received by the image forming device.

Nakatina '978 discloses the print request not being edited by the editing of the printing data (*"The aforesaid copy machine assigns copy operating conditions and operation modes by means of the operation of the various keys of the operation panel, and also provides an edit-image copy mode in accordance with data stored in memory card 903."* column 3, lines 60-64). See also (*"FIG. 7 shows input unit 901 for entering editing data to memory card 903... Furthermore, input unit 901 has provided therein in an internal area a small printer 952. The small printer 952 prints the information displayed in display section 913 on recording paper 916."* column 4, lines 13-24);

Art Unit: 2625

the editing of the printing data not including editing of a printing sequence of print requests received by the image forming device (*"Memory card 903, having the editing data entered therein, is extracted from the insert section 915 of the input unit 901, said card being subsequently inserted into opening 50 of the copy machine. Thereupon, the copy machine performs the edited-image copying process in accordance with the editing data stored in memory card 903."* column 5, lines 31-37).

Bruce '064 and Nakatina '978 are combinable because they are from same field of endeavor of image forming systems (*"FIG. 1 shows the construction of a copy machine having editing functions. This copy machine comprises copy paper storage sections 42 and 43 and an intermediate tray unit A in a lower level, an image forming section having"* Nakatina '978 at column 2, lines 15-16).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the printer system as taught by Bruce '064 by adding the print request not being edited by the editing of the printing data; the editing of the printing data not including editing of a printing sequence of print requests received by the image forming device as taught by Nakatina '978. The motivation for doing so would have been because it is advantageous to provide an image editing system capable of highly efficient edited-image copying (*"An object of the present invention is to provide an image editing system capable of highly efficient edited-image copying."* Nakatina '978 at column 5, lines 1-2). Therefore, it would have been obvious to combine Bruce '064 with Nakatina '978 to obtain the invention as specified in claim 36.

6. **Claim 11-14, 25-28 and 35** are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of Bruce '064 and Nakatina '978 as applied to claim 1 above, and further in view of Yellepeddy et al. (US 6,288,790 hereinafter, Yellepeddy '790).

**Regarding claim 11;** Bruce '064 as modified does not expressly disclose wherein the controller enables editing of the printing data when an information processor which has

Art Unit: 2625

transmitted the printing data is identical to an information processor which requests the editing of the printing data.

Bruce '064 does not expressly disclose wherein the controller enables editing of the printing data when an information processor which has transmitted the printing data is identical to an information processor which requests the editing of the printing data.

Yellepeddy '790 discloses wherein the controller enables editing of the printing data when an information processor which has transmitted the printing data is identical to an information processor which requests the editing of the printing data (*"The user may also **change the state of a print job within the transient printer queue** to the held state to suspend or bypass replay for that print job, or **may release a held print job to place it in the waiting state**. The user may additionally edit the contents of a print job while it is in the transient printer queue (ASCII files only), copy a print job within the transient printer queue to make a duplicate job, or invoke a settings notebook for a selected print job, **allowing the user to modify its characteristics.**"* column 7, lines 5-13).

Bruce '064 and Yellepeddy '790 are combinable because they are from same field of endeavor of network printer systems (*"The present invention relates in general to print support for data processing systems and in particular to print support for mobile data processing systems or systems otherwise disconnected from a print server. Still more particularly, the present invention relates to a mobile print system employing transient queues to transparently support printing by data processing systems currently disconnected from a selected print server."* Yellepeddy '790 at column 1, lines 5-12).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the printer system as taught by Bruce '064 by adding wherein the controller enables editing of the printing data when an information processor which has transmitted the printing data is identical to an information processor which requests the editing of the printing data as taught by Yellepeddy '790. The motivation for doing so would have been because it is advantageous to provide an improved method and apparatus for print support for data processing

Art Unit: 2625

systems (“It is therefore one object of the present invention to provide an improved method and apparatus for print support for data processing systems.” Yellepeddy ‘790 at column 1, lines 65-67). Therefore, it would have been obvious to combine Bruce ‘064 with Yellepeddy ‘790 to obtain the invention as specified in claim 1.

**Regarding claim 12;** Yellepeddy ‘790 discloses wherein the controller enables editing of the printing data when an information processor which has transmitted the printing data is identical to an information processor which requests the editing of the printing data (“*The user may also change the state of a print job within the transient printer queue to the held state to suspend or bypass replay for that print job, or may release a held print job to place it in the waiting state. The user may additionally edit the contents of a print job while it is in the transient printer queue (ASCII files only), copy a print job within the transient printer queue to make a duplicate job, or invoke a settings notebook for a selected print job, allowing the user to modify its characteristics.*” column 7, lines 5-13).

**Regarding claim 13;** Yellepeddy ‘790 discloses wherein the controller enables the editing of the printing data when user information added to the printing data is identical to user information input by a user who requests editing (“*The user may also change the state of a print job within the transient printer queue to the held state to suspend or bypass replay for that print job, or may release a held print job to place it in the waiting state. The user may additionally edit the contents of a print job while it is in the transient printer queue (ASCII files only), copy a print job within the transient printer queue to make a duplicate job, or invoke a settings notebook for a selected print job, allowing the user to modify its characteristics.*” column 7, lines 5-13).

**Regarding claim 14;** Yellepeddy ‘790 discloses wherein the controller enables the editing of the printing data when user information added to the printing data is identical to user information input by a user who requests editing (“*The user may also change the state of a print job within the transient printer queue to the held state to suspend or bypass replay for that print job, or may release a held print job to place it in the waiting state. The user may additionally edit the contents of a print job while it is in the transient printer queue (ASCII*

Art Unit: 2625

*files only), copy a print job within the transient printer queue to make a duplicate job, or invoke a settings notebook for a selected print job, allowing the user to modify its characteristics.” column 7, lines 5-13).*

**Regarding claim 25;** Bruce ‘064 as modified does not expressly disclose wherein the editing means enables editing of the printing data when an information processor which has transmitted the printing data is identical to an information processor which requests the editing of the printing data.

Yellepeddy ‘790 discloses wherein the editing means enables editing of the printing data when an information processor which has transmitted the printing data is identical to an information processor which requests the editing of the printing data (*“The user may also **change the state of a print job within the transient printer queue to the held state to suspend or bypass replay for that print job, or may release a held print job to place it in the waiting state. The user may additionally edit the contents of a print job while it is in the transient printer queue (ASCII files only), copy a print job within the transient printer queue to make a duplicate job, or invoke a settings notebook for a selected print job, allowing the user to modify its characteristics.”** column 7, lines 5-13).*

Bruce ‘064 and Yellepeddy ‘790 are combinable because they are from same field of endeavor of network printer systems (*“The present invention relates in general to print support for data processing systems and in particular to print support for mobile data processing systems or systems otherwise disconnected from a print server. Still more particularly, the present invention relates to a mobile print system employing transient queues to transparently support printing by data processing systems currently disconnected from a selected print server.”* Yellepeddy ‘790 at column 1, lines 5-12).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the printer system as taught by Bruce ‘064 by adding wherein the editing means enables editing of the printing data when an information processor which has transmitted the printing data is identical to an information processor which requests the editing of the printing

Art Unit: 2625

data as taught by Yellepeddy '790. The motivation for doing so would have been because it is advantageous to provide an improved method and apparatus for print support for data processing systems (*"It is therefore one object of the present invention to provide an improved method and apparatus for print support for data processing systems."* Yellepeddy '790 at column 1, lines 65-67). Therefore, it would have been obvious to combine Bruce '064 with Yellepeddy '790 to obtain the invention as specified in claim 15.

**Regarding claim 26;** Yellepeddy '790 discloses wherein the editing means enables editing of the printing data when an information processor which has transmitted the printing data is identical to an information processor which requests the editing of the printing data (*"The user may also **change the state of a print job within the transient printer queue to the held state to suspend or bypass replay for that print job, or may release a held print job to place it in the waiting state. The user may additionally edit the contents of a print job while it is in the transient printer queue (ASCII files only), copy a print job within the transient printer queue to make a duplicate job, or invoke a settings notebook for a selected print job, allowing the user to modify its characteristics."*** column 7, lines 5-13).

**Regarding claim 27;** Yellepeddy '790 discloses wherein the editing means enables the editing of the printing data when user information added to the printing data is identical to user information input by a user who requests editing (*"The user may also **change the state of a print job within the transient printer queue to the held state to suspend or bypass replay for that print job, or may release a held print job to place it in the waiting state. The user may additionally edit the contents of a print job while it is in the transient printer queue (ASCII files only), copy a print job within the transient printer queue to make a duplicate job, or invoke a settings notebook for a selected print job, allowing the user to modify its characteristics."*** column 7, lines 5-13).

**Regarding claim 28;** Yellepeddy '790 discloses wherein the editing means enables the editing of the printing data when user information added to the printing data is identical to user

Art Unit: 2625

information input by a user who requests editing (*“The user may also **change the state of a print job within the transient printer queue to the held state to suspend or bypass replay for that print job, or may release a held print job to place it in the waiting state. The user may additionally edit the contents of a print job while it is in the transient printer queue (ASCII files only), copy a print job within the transient printer queue to make a duplicate job, or invoke a settings notebook for a selected print job, allowing the user to modify its characteristics.**”* column 7, lines 5-13).

**Regarding claim 35;** Bruce ‘064as modified does not expressly disclose wherein the editing of the printing data is allowed when an information processor which transmitted the printing data is identical to an information processor which requests the editing.

Yellepeddy ‘790 discloses wherein the editing of the printing data is allowed when an information processor which transmitted the printing data is identical to an information processor which requests the editing (*“The user may also **change the state of a print job within the transient printer queue to the held state to suspend or bypass replay for that print job, or may release a held print job to place it in the waiting state. The user may additionally edit the contents of a print job while it is in the transient printer queue (ASCII files only), copy a print job within the transient printer queue to make a duplicate job, or invoke a settings notebook for a selected print job, allowing the user to modify its characteristics.**”* column 7, lines 5-13).

Bruce ‘064 and Yellepeddy ‘790 are combinable because they are from same field of endeavor of network printer systems (*“The present invention relates in general to print support for data processing systems and in particular to print support for mobile data processing systems or systems otherwise disconnected from a print server. Still more particularly, the present invention relates to a mobile print system employing transient queues to transparently support printing by data processing systems currently disconnected from a selected print server.”* Yellepeddy ‘790 at column 1, lines 5-12).

At the time of the invention, it would have been obvious to a person of ordinary skill in the art to modify the printer system as taught by Bruce ‘064 by adding wherein the editing of the printing data is allowed when an information processor which transmitted the printing data is

Art Unit: 2625

identical to an information processor which requests the editing as taught by Yellepeddy '790. The motivation for doing so would have been because it is advantageous to provide an improved method and apparatus for print support for data processing systems (*"It is therefore one object of the present invention to provide an improved method and apparatus for print support for data processing systems."* Yellepeddy '790 at column 1, lines 65-67). Therefore, it would have been obvious to combine Bruce '064 with Yellepeddy '790 to obtain the invention as specified in claim 29.

#### Examiner Notes

7. The Examiner cites particular columns and line numbers in the references as applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings in the art and are applied to the specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested that, in preparing responses, the applicant fully considers the references in its entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or as disclosed by the Examiner.

#### Conclusion

8. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after



Art Unit: 2625

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to MARCUS T. RILEY whose telephone number is (571)270-1581. The examiner can normally be reached on Monday - Friday, 7:30-5:00, est.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David K. Moore can be reached on 571-272-7437. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Marcus T. Riley  
Assistant Examiner  
Art Unit 2625

/MARCUS T. RILEY/  
Examiner, Art Unit 2625

Application/Control Number: 10/725,419

Page 33

Art Unit: 2625

/David K Moore/

Supervisory Patent Examiner, Art Unit 2625